町内施設CO2排出量一	鬒
-------------	---

町内施設CO2排出量-	- 覧									
施設名	監理部局	平成25年度 (t-CO2)	平成29年度 (t-CO2)	平成30年度 (t-CO2)	令和元年度 (t-CO2)	令和2年度 (t-CO2)	令和3年度 (t-CO2)	令和4年度 (t-CO2)	増減(t-CO2) (R4-H25)	増減(t-CO2) (R4-R3)
役場庁舎	総務課	137.0	152.4	157.4	147.9	156.1	150.0	105.9	-31.1	-44.0
公用車	心伤床	38.1	43.6	41.3	38.5	28.6	29.4	31.6	-6.5	2.2
防犯灯 赤色灯		115.1	30.4	27.6	25.8	25.8	24.2	24.3	-90.8	0.1
1分団詰所		0.9	1.4	1.3	1.5	1.0	0.9	1.2	0.3	0.4
2分団詰所		1.0	1.4	1.6	1.4	1.0	1.2	1.1	0.1	-0.1
3分団詰所		0.7	2.0	1.1	1.0	0.6	0.9	1.0	0.3	0.1
4分団詰所	防災安全課	0.8	0.9	0.8	0.8	0.4	0.8	0.4	-0.4	-0.3
5分団詰所		1.5	1.9	2.1	1.7	0.9	0.9	1.2	-0.3	0.3
6分団詰所		0.4	0.8	0.9	0.9	0.6	0.4	0.1	-0.3	-0.4
7分団詰所		0.8	1.2	1.0	1.0	0.9	0.9	0.9	0.1	0.0
8分団詰所		0.6	1.1	0.9	1.0	0.6	0.7	0.6	0.0	-0.1
保健福祉センター		97.8	94.4	79.4	60.7	64.0	66.9	56.5	-41.3	-10.4
ふれあい館	→	7.3	7.3	6.8	6.5	6.3	6.5	6.2	-1.1	-0.3
おおいコミュニティクラブ	子育て健康課	1.9	3.4	5.1	4.7	2.6	2.6	2.6	0.7	0.0
かみおおいコミュニティクラブ		1.8	4.0	3.7	4.0	3.0	3.1	3.2	1.4	0.1
大井保育園		13.2	17.8	17.2	15.4	14.6	13.3	13.7	0.5	0.3
相模金子駅前公園·金子児童 公園		1.4	1.4	1.3	1.2	0.5	0.5	0.5	-0.9	-0.0
水神宮公園		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
金手児童公園		0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
(仮称)新湘光公園		0.0	1.1	1.1	0.9	1.0	0.8	0.8	0.8	-0.0
第1浄水場		144.1	149.5	118.1	109.3	110.2	94.4	4.3	-139.8	-90.1
第2浄水場		359.2	347.5	344.9	307.0	317.0	306.5	362.3	3.1	55.8
第4水源	i F	25.5	25.0	37.1	33.7	28.1	30.9	35.0	9.5	4.1
第5水源	生活環境課	26.3	24.9	33.2	24.6	31.7	20.1	26.7	0.4	6.6
第6水源	土石垛児誄	26.7	25.6	16.3	26.2	27.7	19.4	25.3	-1.4	5.9
第7水源		52.7	50.6	23.8	17.5	18.2	29.5	33.0	-19.7	3.5
馬場配水池		51.6	46.5	46.2	43.8	45.6	42.7	44.8	-6.8	2.1
根岸山配水池		0.8	0.8	0.8	0.7	0.7	0.7	0.7	-0.1	0.0
配水メーター下山田給水		0.5	0.4	0.4	0.4	0.4	0.4	0.4	-0.1	0.0
山田配水池		28.8	22.0	22.0	19.6	20.6	16.0	15.6	-13.2	-0.4
赤田配水池		1.2	1.2	1.1	1.1	1.1	1.0	0.9	-0.3	-0.1
柳•高尾配水池		7.1	6.9	6.2	6.1	6.4	6.1	5.8	-1.3	-0.3
篠窪配水池		1.1	1.1	1.1	1.0	1.0	0.9	0.8	-0.3	-0.1
郷土資料館(加工場込)		0.4	0.6	0.6	0.6	1.0	1.2	0.3	-0.1	-0.9
農産加工場		0.4	1.9	1.7	1.7	1.5	1.5	1.5	1.1	0.0
農業体験施設 四季の里		4.6	4.9	4.4	4.9	4.2	3.4	4.6	0.0	1.2
農村公園トイレ	11/17/4 TE (8) = 0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0
金手駐車場トイレ	地域振興課	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	-0.0
富士見塚トイレ		0.9	0.5	0.5	0.5	0.4	0.5	0.2	-0.7	-0.3
了義寺トイレ		0.2	0.2	0.2	0.2	0.2	0.2	0.2	-0.0	-0.0
最明寺トイレ		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
柳休憩所トイレ	+/n → +k/ /± =m	2.0	1.4	2.1	1.9	1.9	1.9	0.0	-2.0	-1.9
道路照明	都市整備課	75.5	68.5	65.4	62.1	54.9	52.7	54.5	-21.0	1.7
相和幼稚園		5.0	6.5	6.1	5.2	5.4	5.0	5.6	0.6	0.5
大井幼稚園		7.6	11.4	9.9	11.5	12.5	12.2	9.5	1.9	-2.7
大井第二幼稚園	粉 ★ 纷 致 = ⊞	7.1	8.7	7.4	8.0	10.6	10.1	6.4	-0.7	-3.7
湘光中学校 # # # # # # # # # # # # # # # # # # #	教育総務課	75.2	63.7	65.9	67.0	75.2	70.3	50.0	-25.2	-20.3
相和小学校		28.4	29.6 49.6	28.0	29.0 50.6	29.1 52.4	24.7	15.8 34.1	-12.6	-8.9 -16.7
大井小学校 上大井小学校		51.3 42.3	49.6	50.9 44.2	39.1	52.4 38.3	50.8 34.3	23.2	-17.2 -19.1	-16./ -11.1
生涯学習センター		194.8	220.9	209.1	188.2	139.0	158.1	109.9	-84.9	-48.3
そうわ会館	生涯学習課	40.8	45.3	43.4	39.5	33.6	41.5	24.7	-16.1	-16.8
総合体育館		166.6	147.7	146.7	119.5	97.5	123.3	83.7	-82.9	-39.5
給食センター	給食センター	259.6	293.2	275.6	246.7	271.3	256.2	161.7	-97.9	-94.5
おおい中央公園	都市整備課	0.0	293.2	0.0	0.0	0.0	230.2	5.3	5.3	5.3
防災備蓄倉庫	防災安全課	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	1.2
M) 人服 田 后 序	合計	2108.7	2067.6	1964.1	1782.0	1746.6	1720.7	1399.9	-708.8	-320.7
	디티	2108.7	2007.0	1904.1	1/62.0	1/40.0	1720.7	1399.9	-708.8	-320.7

エネルギー対比率	令和4年度	H25年度比(%) 66.38887263
	減少割合	-33.61%

<u>前年度比(%)</u> 81.36048878 -18.64%

町内施設エネルギー使	用量一覧			1	1						
施設名	エネルギー	平成25年度	平成29年度	平成30年度	令和元年度 (平成31年度)	令和2年度	令和3年度	令和4年度	増減 (R4-H25)	増減率 (R4/H25)	增減 (R4-R3)
役場庁舎	灯油(L) 都市ガス(Nm3	18,553.0	22,446.0	21,784.0	21,321.0	25,409.0	23,209.0	13,098.0	0.0 -5,455.0	0.0 -0.3	0.0 -10,111.0
公用車	ガソリン(L)	184,642.0 13,661.0 2,480.0	198,392.0 13,311.9 4,932.5	209,375.0 13,876.7 3,542.5	212,495.0 12,332.4 3,818.4	223,927.0 9,182.3 2,821.0	207,786.0 9,227.9 3,097.9	209,200.0 10,009.2 3,235.5	24,558.0 -3,651.8 755.5	-0.3	781.3
防犯灯·赤色灯	電力(kWh)	219,320.0 118.0	58,731.0 98.0	55,648.0 76.0	55,897.0	57,962.0 78.0	55,885.0 68.0	56,009.0 76.0	-163,311.0 -42.0	-0.7	124.0
	軽油(L)	0.0	203.0	214.0	268.0	117.8	95.9	216.7	216.7	-	O
1分団詰所		7.6	5.8	15.5	8.0	3.9	1.9	1.2	-6.4		
		1,024.5 89.0	1,127.0	1,065.0	1,109.0 38.0	1,011.0 38.0	988.0 40.0	1,083.0	58.5 -49.0		
	ガソリン(L)	0.0	201.4	280.3	245.4	131.1	202.5	227.2	227.2	-	
2分団詰所	LPガス(kg)	7.4	6.7	9.5	5.7	2.0	1.1	0.7	-6.7	-0.9	-0.4
	電力(kWh)	1,345.0	1,624.0	1,576.0	1,544.0	1,439.0	1,508.0	1,091.0	-254.0	-0.2	-417.0
	灯油(L) 軽油(L)	0.0	206.2 252.1	0.0 130.6	42.0 131.0	0.0 68.0	18.0 127.7	18.0 189.5	18.0 189.5	-	
3分団詰所	LPガス(kg)	2.2	1.7	4.3	2.8	1.1	1.4	1.2	-1.0	-0.5	-0.2
	電力(kWh)	1,407.5	1,528.0	1,550.0	1,240.0	904.0	1,233.0	1,120.0	-287.5		
										-1.0 -	
4分団詰所	LPガス(kg)	3.1	0.3	1.5	1.7	0.0	0.2	0.3	-2.8		
	電力(kWh)	1,106.0	1,014.0	944.0	635.0	595.0	684.0	616.0	-490.0		
タ 軽 5分団詰所 し 電	灯油(L)	0.0	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	-20.0
5分団詰所	<u>軽油(L)</u> LPガス(kg)	9.4	196.0	235.2 5.4	183.1	0.4	0.5	0.7	212.6 -8.7		91.6
	電力(kWh)	2,772.5	2,600.0	2,948.0	2,628.0	1,323.0	1,304.0	1,475.0	-1,297.5		
### ### ### ### ### ### ### ### ### ##	-	0.0									
6分団詰所											5) (R4-R3) 0.0 0 -0.3 -10.111.0 0.1 1.414.0 -0.3 781.3 781.3 3.3 137.6 -0.7 124.0 0.8 -0.7 0.1 95.0 -0.6 0.0 -0.6 0.0 -0.7 -4.7 -0.9 -0.4 -0.2 -417.0 -0.1 61.8 -0.5 -0.2 -0.2 -113.0 -1.0 0.0 -121.0 -0.9 0.1 -0.4 -68.0 0.0 -20.0 -1.10 0.0 -0.5 171.0 -0.0 9.0 -0.5 171.0 -0.0 0.0 -0.1 10.0 -0.1 10.0 -0.2 -2.738.0 -0.5 16.0 -0.7 18.0 -0.8 -689.0 -0.1 -1.0 -0.1 -0.1 0.0 4.0 -0.7 18.0 -0.8 -689.0 -0.1 -1.0 -0.1 -2.0 -0.1 -1.0 -0.1 -2.0 -0.1 -2.0 -0.2 -2.738.0 -0.3 -1.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -21.0 -0.4 -2.0 -0.4 -2.0 -0.4 -2.0 -0.5 -3.0 -0.0
		-								-03 7813 03 1376 -0-7 1240 -04 8.0 -0.8 -0.7 0.1 950 -0.6 0.0 -10 24.7 -0.9 -0.4 -0.2 -417.0 -10 0.0 -10 -113.0 -10 0.0 -113.0 -10 0.0 -121.0 -0.9 0.1 -0.4 -68.0 0.0 -20.0 -121.0 -0.9 0.1 -0.4 -68.0 0.0 -20.0 -10.0 -	
										-	
7分団詰所	LPガス(kg)	2.0	0.6	1.3	0.7	0.2	0.1	0.2	-1.8	-0.9	-0.8 -689.0 -0.5 16.09.5 -0.9 0.1 0.0 4.0 -0.7 18.0 -17.2 -1.0 -0.1 0.0 -165.0 0.4 6.161.0 -0.2 -2.738.0 -0.6 -41.0
	_	, in the second			_						
8分団詰所											
保健福祉センター	都市ガス(Nm3	7,494.0 155,531.0	4,964.0 161,145.0	5,040.0 137,628.0		4,452.0 121,399.0	4,253.0 132,730.0	10,414.0 129,992.0			
	灯油(L)	280.0	240.0	120.0	180.0	140.0	151.0	110.0	-25,539.0 -170.0	-0.6	-41.0
ふれあい館		65.1 12.239.0	63.7 12,642.0	32.3 12,845.0	59.7 12,600.0	50.4 12,649.0	25.4 12.578.0	27.6 13,437.0	-37.5 1,198.0		
おおいコミュニティセンター	灯油(L)	188.0 2,680.0	80.0 6,269.0	155.0 9,401.0	140.0 9,396.0	92.0 5,245.0	126.0 4,669.0	147.0 5,143.0	-41.0 2,463.0	-0.2	21.0
かみおおいコミュニティセンタ・	灯油(L)	182.0 0.0	80.0	0.0	0.0	90.0 12.9	108.0 4.6	144.0 5.2	-38.0 5.2	_	36.0
	電力(kWh) 灯油(L)	2,491.0 2,604.3	7,312.0 1,810.0	7,382.0 1,790.0	8,610.0 1,670.0	5,904.0 1,595.0	5,897.0 1,619.0	6,537.0 1,598.0	4,046.0 -1,006.3		
大井保育園	LPガス(kg)	696.0	657.5	651.8	655.1	624.6	262.2	256.4	-439.6		-5.8
施設名 エネルギー 平成	8,733.5	21,704.0	21,601.0	19,992.0	19,252.0	19,571.0	20,493.0	11.759.5	1.3	922.0	
公園·(仮称)新湘光公園(定額)	電力(kWh)	2,679.6	2,679.6	2,679.6		2,613.7	2,613.7		-2,679.6		
相模金子駅前公園(R1~)	電力(kWh)	86.4 0.0	86.4 0.0	86.4 0.0		86.4 1,061.0	86.4 1,109.0	86.4 1,022.0	1,022.0	_	-87.0
(仮称)新湘光公園	電力(kWh)	17.0 0.0	9.0 2,114.0	2,127.0	2,030.0	2,145.0	13.0 1,852.0	230.0 1,706.0	213.0 1,706.0	-	-146.0
	灯油(L)	274,568.0	288,600.0	238,142.0	0.0	242,172.0 725.0	217,980.0 700.0	9,927.0 1,240.0	-264,641.0 1,240.0	_	540.0
第4水源	電力(kWh)	684,096.0 48,526.0 50,054.0	670,769.0 48,278.0 48,088.0	695,396.0 74,736.0 67,012.0	72,848.0	692,648.0 61,707.0 69,718.0	703,816.0 71,256.0	827,555.0 80,539.0 61,497.0	143,459.0 32,013.0	0.7	9,283.0
第6水源	電力(kWh)	50,054.0 50,847.0 100,355.0	48,088.0 49,454.0 97,666.0	67,012.0 32,848.0 47.887.0	56,641.0	69,718.0 60,861.0 39,995.0	46,318.0 44,876.0 68,079.0	61,497.0 58,383.0 75,983.0	11,443.0 7,536.0	0.1	13,507.0
馬場配水池	電力(kWh)	98,342.0 1,539.0	89,842.0 1,539.0	93,097.0 1,543.0		100,134.0 1,641.0	98,663.0 1,645.0	75,983.0 103,201.0 1,715.0	-24,372.0 4,859.0 176.0	0.0	4,538.0
配水メーター下山田給水	電力(kWh)	864.4 54,917.0	864.4 42,457.0	864.4 44,296.0	864.4 42,355.0	864.4 45,270.0	864.4 37,042.0	864.4 36,003.0	0.0 -18,914.0	0.0	0.0
赤田配水池	電力(kWh)	2,198.0 13,619.0	2,321.0 13,291.0	2,300.0 12,957.0	2,357.0 13,255.0	2,360.0 14,163.0	2,338.0 14,144.0	2,152.0 13,411.0	-46.0 -208.0	-0.0	-186.0
篠窪配水池	電力(kWh)	2,105.0 761.0	2,058.0 1,128.0	2,193.0 1,213.0	2,123.0 1,236.0	2,116.0 2,113.0	2,191.0 2,642.0	1,912.0 625.0	-193.0 -136.0	-0.1	-279.0
	LPガス(kg)	9.8 784.0	34.8 3,410.0	40.2 3,123.0	45.7 3,391.0	4.4 3,293.0	2.2	3.0 3,455.0	-6.8 2,671.0	-0.7	0.8
農業体験施設 四季の里		54.6	89.5	28.5	84.2	22.8	12.4	32.6	-22.0		
		8,462.0	8,985.0	8,689.0	10,027.0 206.0	9,179.0 255.0	7,668.0 267.0	10,470.0 292.0	2,008.0 63.0		25.0
	電力(kWh)	229.0	265.0	285.0							
金手駐車場トイレ 富士見塚トイレ	電力(kWh) 電力(kWh) 電力(kWh)	229.0 82.0 1,736.0	83.0 1,013.0	167.0 1,019.0	133.0 1,020.0	188.0 785.0	253.0 1,080.0	200.0 422.0	118.0 -1,314.0	-0.8	-658.0
金手駐車場トイレ <u>富士見塚トイレ</u> 了義寺トイレ 最明寺トイレ	電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh)	229.0 82.0 1,736.0 389.0 2.0	83.0 1,013.0 368.0 0.0	167.0 1,019.0 354.0 0.0	133.0 1,020.0 365.0 0.0	785.0 361.0 0.0	1,080.0 355.0 0.0	422.0 350.0 0.0	-1,314.0 -39.0 -2.0	-0.8 -0.1 0.0	-658.0 -5.0 0.0
金手駐車場トイレ 富士見塚トイレ 了義寺トイレ 最明寺トイレ 柳休憩所トイレ	電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh) 電力(kWh)	229.0 82.0 1,736.0 389.0	83.0 1,013.0 368.0	167.0 1,019.0 354.0	133.0 1,020.0 365.0 0.0 4,174.0	785.0 361.0	1,080.0 355.0	422.0 350.0	-1,314.0 -39.0	-0.8 -0.1 0.0 -1.0 -0.1	-658.0 -5.0 0.0 -3.701.0 3,681.8

	灯油(L)	796.0	1,411.0	807.0	272.0	254.0	170.0	234.0	-562.0	-0.7	64.0
大井幼稚園	LPガス(kg)	68.8	39.2	26.1	22.0	40.3	16.5	13.0	-55.8	-0.8	-3.9
	電力(kWh)	10,392.0	15,007.0	15,675.0	23,255.0	25,828.0	26,966.0	31,427.0	21.035.0	2.0	4,461.0
	灯油(L)	982.0	1,150.0	780.0	200.0	221.3	161.0	160.0	-822.0	-0.8	-1.0
大井第二幼稚園	LPガス(kg)	64.8	44.7	15.7	14.5	34.2	12.7	14.0	-50.8	-0.8	1.3
	電力(kWh)	8,507.0	11,015.0	10,854.0	16,033.0	21,938.0	22,210.0	23,829.0	15,322.0	1.8	1,619.0
	灯油(L)	1,520.0	0.0		0.0			68.8	-1,451.2	-1.0	-72.
湘光中学校	都市ガス(Nm3	194.0	78.0		63.0			42.0	-152.0	-0.8	5.
	電力(kWh)	135,241.0	122,648.0	131,510.0	141,037.0	165,106.0	161,312.0	171,288.0	36,047.0	0.3	9,976.
	ガソリン(L)	6.0	0.0			0.0		0.0	-6.0	0.0	0.0
相和小学校	灯油(L)	914.0	960.0	820.0	0.0	0.0	200.0	200.0	-714.0	-0.8	0.
101017-T-IX	LPガス(kg)	179.5	92.9		36.9	66.5	37.2	27.8	-151.7	-0.8	-9.
	電力(kWh)	48,670.0	52,049.0		61,024.0	63,480.0		55,434.0	6,764.0	0.1	-156.
	灯油(L)	1,345.0	1,458.0	1,498.0	436.0	0.0	100.0	0.0	-1,345.0	-1.0	-100.
大井小学校	LPガス(kg)	244.3	80.6		60.6			43.4	-200.9	-0.8	-9.
	電力(kWh)	89,922.0	88,222.0		104,330.0			129,721.0	39,799.0	0.4	12,924.
	灯油(L)	1,722.0	450.0		0.0			4.0	-1,718.0	-1.0	-18.
上大井小学校	都市ガス(Nm3	254.0	142.0		119.0			98.0	-156.0	-0.6	10.
	電力(kWh)	71,344.0	81,879.0		82,051.0			82,822.0	11,478.0	0.2	4,235.
生涯学習センター	都市ガス (Nm3	23,440.0	29,703.0		25,417.0			23,794.0	354.0	0.0	414.
	電力(kWh)	274,594.0	299,723.0	296,964.0	278,814.0	200,768.0	225,138.0	193,915.0	-80,679.0	-0.3	-31,223.
そうわ会館	LPガス(kg)	27.9	13.4		9.1	3.5		4.4	-23.5	-0.8	2.
	電力(kWh)	77,643.0	87,355.0		83,362.0			80,231.0	2,588.0	0.0	-15,538.
総合体育館	都市ガス (Nm3	17,452.0	21,539.0		18,159.0			14,471.0	-2,981.0	-0.2	-4,607.
10 11 17 74	電力(kWh)	245,494.0	193,298.0	197,195.0	167,261.0	131,587.0	173,818.0	172,036.0	-73,458,0	-0.3	-1.782.
給食センター	ガソリン(L)	713.2	1,789.3		1,629.4	1,580.4	,	171.7	-541.5	-0.8	-1,601.
HILL CO	軽油(L)	893.2	0.0		0.0			0.0	-893.2	0.0	0.
	電力(kWh)	486,960.0	558,040.0	547,401.0	510,617.0	524,551.0	543,778.0	544,363.0	57,403.0	0.1	585.
	エネルギー	(2013)	平成29年度 (2017)	平成30年度	令和元年度 (平成31年度)	令和2年度	令和3年度	令和4年度	増減 (R4-H25)	增減率 (R4/H25)	増減 (R4-R3)
	電力(kWh)	3,597,344	3,506,725	2,769,364	2,694,600	2,650,476		3,363,214	-183,239.1		763,628.
合計	都市ガス(Nm3	67,387	78,872	77,121	68,363	65,482	70,044	61,917	2,657.2	3.9%	4,562.
ни.	LPガス(kg)	1,459	1,162	973	1,027	989	443	441	-1,016.1	-69.6%	-545.
	灯油(L)	11,363	8,650	7,209	3,376	2,770	3,888	4,184	-7,475.3	-65.8%	1,117.
	ガソリン(L)	14,380	15,971	16,448	14,860	11,271	11,672	10,694	-2,708.6	-18.8%	400.
	軽油(L)	3,373	5,584	4.122	4.401	3,143	3,443	3.854	69.3	2.1%	299.